Amendments to the Claims:

This listing of claims will replace all prior versions and listings of claims in the application.

Listing of Claims:

1. (Currently Amended) A method for producing a nitridosilicate-based compound, comprising reacting

a material containing an alkaline-earth metal compound capable of generating an alkaline-earth metal oxide MO by heating, where M is at least one element selected from Mg, Ca, Sr, and Ba; and O is oxygen, by heating.

a silicon compound, and

carbon

in an atmosphere of nitriding gas,

wherein the nitridosilicate-based compound is not in a SIALON-type structure.

2. (Original) The method for producing a nitridosilicate-based compound according to claim 1, wherein the alkaline-earth metal compound is at least one compound selected from a carbonate, an oxalate, an oxide, and a hydride of alkaline-earth metal.

- 3. (Cancelled)
- 4. (Cancelled)
- 5. (Currently Amended) A method for producing a nitridosilicate-based compound, comprising reacting
- a material containing at least one selected from alkaline-earth metal, a nitride of alkaline earth metal, rare earth metal, and a <u>nitride of</u> rare earth <u>metal-nitride</u>,
 - a silicon compound, and

carbon

in an atmosphere of nitriding gas.

- 6. (Previously Presented) The method for producing a nitridosilicate-based compound according to claim 1, wherein the silicon compound is at least one compound selected from silicon nitride and silicon diimide.
- 7. (Previously Presented) The method for producing a nitridosilicate-based compound according to claim 1, wherein the nitriding gas is at least one gas selected from nitrogen gas and ammonia gas.
- 8. (Previously Presented) The method for producing a nitridosilicate-based compound according to claim 1, wherein the reaction is performed by heating.
- 9. (Previously Presented) The method for producing a nitridosilicate-based compound according to claim 1, wherein the carbon is solid-state carbon.
- 10. (Previously Presented) A method for producing a nitridosilicate-based compound according to claim 1, wherein a nitridosilicate-based compound is produced in which the number of atoms of oxygen is smaller than that of alkaline-earth metal per mol of nitridosilicate-based compound.

11. (Cancelled)

12. (Previously Presented) The method for producing a nitridosilicate-based compound according to claim 1, wherein a compound represented by a general formula: M₂Si₅N₈, where M is at least one element selected from Mg, Ca, Sr, and Ba, is produced.

- 13. (Previously Presented) The method for producing a nitridosilicate-based compound according to claim 1, wherein the nitridosilicate-based compound is a nitridosilicate-based phosphor.
- 14. (Original) The method for producing a nitridosilicate-based compound according to claim 13, wherein the nitridosilicate-based phosphor is represented by a general formula selected from M₂Si₅N₈:Eu²⁺, M₂Si₄AlON₇:Eu²⁺, MSiN₂:Eu²⁺, and M₂Si₅N₈:Ce³⁺, where M is at least one element selected from Mg, Ca, Sr, and Ba.
- 15. (Original) The method for producing a nitridosilicate-based compound according to claim 13, wherein the nitriding gas is mixed gas of nitrogen and hydrogen.
- 16. (Original) A nitridosilicate phosphor comprising a nitridosilicate compound represented by a general formula: $MSiN_2$ as a phosphor base material, and Eu^{2+} ions as a luminescent center,

wherein a main component of the M is Ba.

17. (Original) A light-emitting apparatus using, as a light-emitting source, a nitridosilicate phosphor comprising a nitridosilicate compound represented by a general formula: MSiN₂ as a phosphor base material, and Eu²⁺ ions as a luminescent center, wherein a main component of the M is Ba.

18. (Cancelled)

19. (Previously Presented) The method for producing a nitridosilicate-based compound according to claim 5, wherein the silicon compound is at least one compound selected from silicon nitride and silicon diimide.

20. (Cancelled)

- 21. (Previously Presented) The method for producing a nitridosilicate-based compound according to claim 5, wherein the nitriding gas is at least one gas selected from nitrogen gas and ammonia gas.
- 22. (Cancelled)
- 23. (Previously Presented) The method for producing a nitridosilicate-based compound according to claim 5, wherein the reaction is performed by heating.
- 24. (Cancelled)
- 25. (Previously Presented) The method for producing a nitridosilicate-based compound according to claim 5, wherein the carbon is solid-state carbon.
- 26. (Currently Amended) AThe method for producing a nitridosilicate-based compound according to claim 5, wherein a nitridosilicate-based compound is produced in which the number of atoms of oxygen is smaller than that of alkaline-earth metal per mol of nitridosilicate-based compound.
- 27. (Previously Presented) The method for producing a nitridosilicate-based compound according to claim 5, wherein a compound represented by a general formula: M₂Si₅N₈, where M is at least one element selected from Mg, Ca, Sr, and Ba, is produced.
- 28. (Currently Amended) The method for producing a nitridosilicate-based compound according to claim [[3]]1, wherein the nitridosilicate-based compound is a nitridosilicate-based phosphor.
- 29. (Previously Presented) The method for producing a nitridosilicate-based compound according to claim 5, wherein the nitridosilicate-based compound is a nitridosilicate-based phosphor.

30. (New) A method for producing a nitridosilicate-based compound, comprising reacting

a material containing a rare earth compound capable of generating a rare earth oxide LnO or Ln₂O₃ by heating, where Ln is at least one element selected from rare earth elements of atomic numbers 21, 39, and 57–71; and O is oxygen,

a silicon compound, wherein the silicon compound is at least one compound selected from silicon nitride and silicon diimide, and

carbon

in an atmosphere of nitriding gas.